

No. R. 816—Ft. 137-18-8, dated 14th July 1919.

The following rates of seigniorage prescribed for the sale to purchasers and consumers of timber and other forest produce from the State Forests in the several districts and published with Government Notification No. R. 11097—Ft. 137-18-4, dated 1st March 1919, are hereby republished for general information, with certain errors and omissions rectified:—

MYSORE WEST DIVISION.

Serial No.	Botanical name	Species	Local name	Description	Ainurmagudi, Begur, Kakankote and Heggaddevankote Ranges		Hunsur and Periyapatna Ranges		French Rocks and Karimuddinalli Ranges	
					Existing	Proposed	Existing	Proposed	Existing	Proposed
1	<i>Tectona grandis</i>		Teak	12 c. ft. and above Below 12 c. ft.	Rs. a. p. 1 8 0 1 4 0 1 2 0 0 12 0	Rs. a. p. 2 12 0 2 4 0 1 4 0 3 0 0 2 0 0 1 0 0	Rs. a. p. 1 4 0 1 0 0 0 14 0 0 10 0 0 8 0 1 4 0 0 12 0	Rs. a. p. 2 8 0 2 0 0 2 0 0 2 8 0 1 0 0 1 0 0 1 0 0	Rs. a. p.	Rs. a. p.
2	<i>Dalbergia latifolia</i>		Beta	Poles 5' and above in girth. 3½' and above in girth	Rs. a. p. 0 10 0 1 4 0 0 12 0	Rs. a. p. 1 4 0 3 0 0 2 0 0	Rs. a. p. 0 8 0 1 4 0 0 12 0	Rs. a. p. 1 0 0 2 8 0 1 0 0	Rs. a. p.	Rs. a. p.
3	<i>Pterocarpus Matsuri</i>		Honne	Below 3½' in girth Logs, 12 c. ft. and above	Rs. a. p. 0 10 0 0 8 0	Rs. a. p. 1 4 0 0 12 0	Rs. a. p. 0 10 0 0 8 0	Rs. a. p. 1 0 0 0 10 0	Rs. a. p.	Rs. a. p.
4	<i>Terminalia tomentosa</i> and <i>Lagerstroemia lanceolata</i>		Karinatti and Nandi	Logs, 12 c. ft. and above Logs, below 12 c. ft. Round	Rs. a. p. 0 4 6 0 4 0 0 3 6	Rs. a. p. 0 12 0 0 10 0 0 6 0 0 6 0 0 4 0	Rs. a. p. 0 4 6 0 4 0 0 4 0	Rs. a. p. 0 10 0 0 8 0 0 6 0 0 6 0 0 4 0	Rs. a. p.	Rs. a. p.
5	<i>Terminalia paniculata</i> <i>Adina cordifolia</i> <i>Stephogyne parifolia</i> Other junglewoods.		Hunal Yettige Kadavala	Logs, 12 c. ft. and above Logs, below 12 c. ft. Poles	Rs. a. p. 0 10 0 0 4 0 0 3 6	Rs. a. p. 1 0 0 0 6 0 0 6 0 0 4 0	Rs. a. p. 0 10 0 0 4 0 0 4 0	Rs. a. p. 1 0 0 0 6 0 0 6 0 0 4 0	Rs. a. p.	Rs. a. p.
6	<i>Shorea Talara</i>		Jalari	Logs	Rs. a. p. 0 10 0	Rs. a. p. 1 0 0	Rs. a. p. 0 10 0	Rs. a. p. 1 0 0	Rs. a. p. ..	Rs. a. p. ..
7	Firewood			Cartload	Rs. a. p. 0 4 0	Rs. a. p. 0 4 0	Rs. a. p. 0 4 0	Rs. a. p. 0 4 0	Rs. a. p. ..	Rs. a. p. ..
8	Charcoal <i>Bambusa arundinacea</i> <i>Dendrocalamus strictus</i>		Hebbidaru Kiribidaru	Cartload Per 100 Do	Rs. a. p. 2 8 0 2 9 0 0 12 0	Rs. a. p. 2 8 0 2 0 0 0 12 0	Rs. a. p. 2 8 0 2 0 0 1 8 0	Rs. a. p. 2 8 0 2 0 0 1 8 0	Rs. a. p.	Rs. a. p.
9	Grazing		Kiribidaru Medar Kiribidaru Split Kiribidaru Unsplit Cows and oven Cows and oven (nomadic) Buffaloes Buffaloes (nomadic) Sheep Sheep (nomadic)	Headload Do Per head Do Do Do Do Do	Rs. a. p. 1 0 0 0 20 0 0 1 0 0 4 0 0 6 0 0 8 0 0 12 0 0 1 6 0 2 0	Rs. a. p. 1 0 0 0 20 0 0 1 0 0 4 0 0 6 0 0 8 0 0 12 0 0 1 6 0 2 3	Rs. a. p. 1 0 0 0 20 0 0 1 0 0 4 0 0 6 0 0 8 0 0 12 0 0 1 6 0 2 0	Rs. a. p. 1 0 0 0 20 0 0 1 0 0 4 0 0 6 0 0 8 0 0 12 0 0 1 6 0 2 3	Rs. a. p.	Rs. a. p.

MYSORE SOUTH DIVISION

Serial No.	Botanical name	Species	Local name	Description	Rate	
					Existing	Proposed
					All Ranges	
					Rs. a. p.	Rs. a. p.
1	<i>Tectona grandis</i>	Teak		12 c. ft. and above	1 4 0	2 4 0
				Below 12 c. ft.	0 14 0	1 12 0
2	<i>Dalbergia latifolia</i>	Bete		Poles	0 8 0	1 0 0
				5' and above in girth	0 8 0	1 0 0
				3 1/2' and above in girth	0 8 0	1 0 0
				Below 3 1/2' in girth	0 12 0	1 8 0
3	<i>Pterocarpus marsupium</i> , <i>Ongenia dalbergioides</i> , <i>Shorea latifolia</i>	Honné, Kalhonne and Jalari		Logs, 12 c. ft. and above	0 12 0	1 0 0
				Logs below 12 c. ft.	0 10 0	1 0 0
4	<i>Terminalia tomentosa</i> and <i>Lagerstroemia lanceolata</i>	Karimatti and Nandi		Round	0 8 0	0 12 0
				Logs, 12 c. ft. and above	0 4 6	0 10 0
				Logs below 12 c. ft.	0 4 0	0 8 0
5	<i>Terminalia paniculata</i> , <i>Adina cordifolia</i> , <i>Stephegyne semicarpifolia</i> and other jungliewoods.	Hunel, Yettige, Kadawala, Masi and other jungliewoods.		Round	0 3 6	0 8 0
				Logs, 12 c. ft. and above	0 3 0	0 6 0
				Logs below 12 c. ft.	0 3 0	0 4 0
				Poles below 2' diameter	0 4 0	0 4 0
6	Firewood			Cartload	0 2 0	0 2 0
	Charcoal			Wadder cartload	2 8 0	2 8 0
7	Bamboos	Big bamboos		Per 100	2 0 0	1 8 0
		Small bamboos		Per 100	1 0 0	1 0 0
		Small bamboos meder		Headload	0 2 0	0 2 0
		Small bamboos split		Do	0 1 0	0 1 0
		Small bamboos unsplit		Per head	0 4 0	0 4 0
		Cows and oxen		Do	0 6 0	0 6 0
		Cows and oxen (Nomadic)		Do	0 8 0	0 8 0
		Buffaloes		Do	0 12 0	0 12 0
		Buffaloes (Nomadic)		Do	0 16 0	0 16 0
		Sheep		Do	0 2 0	0 2 0
		Sheep (Nomadic)		Do	0 4 0	0 4 0
8	Grazing	Grass		Cartload	0 0 3	0 0 3
				Headload	0 0 3	0 0 3

SHIMOGA DIVISION.

[illegible]

SAGAR DIVISION.

Serial No.	Botanical name	Species	Local name	Description	Anantapur, Kardibetta and Rippont Ranges		Shikarpur and Sorab Ranges		Sagar and Nagar Ranges	
					Existing	Proposed	Existing	Proposed	Existing	Proposed
					Rs. a. p.	Rs. a. p.	Rs. a. p.	Rs. a. p.	Rs. a. p.	Rs. a. p.
1	<i>Tectona grandis</i>		Teak	12 c. ft. and above Below 12 c. ft.	0 0 0	1 12 0	0 0 0	0 0 0	0 0 0	0 0 0
2	<i>Dalbergia latifolia</i>		Bete	Poles 5' and above in girth 3' and above in girth	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0
3	<i>Pterocarpus marsupium</i>		Honne	Below 12 c. ft.	0 10 0	0 12 0	0 10 0	0 12 0	0 10 0	0 12 0
4	<i>Terminalia tomentosa</i> and <i>Lagerstroemia lanceolata</i>		Matti and Nandi	Square, 12 c. ft. and above Square, below 12 c. ft. Round, 12 c. ft. and above Round, below 12 c. ft.	0 6 0	0 10 0	0 6 0	0 10 0	0 6 0	0 10 0
5	<i>Dysoxylon malabaricum</i>		White cedar	12 c. ft. and above	0 5 0	0 8 0	0 5 0	0 8 0	0 5 0	0 8 0
6	<i>Hopea parviflora</i>		Kirabhogi	Below 12 c. ft.	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0	0 0 0
7	<i>Artocarpus Heraulti</i> and <i>Mimusops elengi</i>		Hebalsu and Nanja	12 c. ft. and above	0 4 0	0 6 0	0 4 0	0 6 0	0 4 0	0 6 0
8	<i>Terminalia paniculata</i> <i>Adina cordifolia</i> <i>Stephegyne parvifolia</i> <i>Alseodaphne Semicarpifolia</i> <i>Xylin dolabriformis</i> And other junglewoods.		Hunal Yettiga Kadagala Massi Jambe	Below 12 c. ft. Below 12 c. ft. Below 12 c. ft. Below 12 c. ft. Below 12 c. ft.	0 4 0	0 6 0	0 4 0	0 6 0	0 4 0	0 6 0
9	Firewood			Cartload Waddar cart Cartload Per 100 Do Do Cartload Per head Do Do Do Do Do Do	0 4 0	0 4 0	0 4 0	0 4 0	0 4 0	0 4 0
10	Charcoal Bamboos		Big bamboos Small bamboos Medar bamboos Seebur Cows and oxen (Nomadic)	Cartload Waddar cart Cartload Per 100 Do Do Cartload Per head Do Do Do Do Do Do	0 4 0	0 4 0	0 4 0	0 4 0	0 4 0	0 4 0
11	Grazing		Cows and oxen Buffaloes Sheep Sheep, (Nomadic)	Cartload Waddar cart Cartload Per 100 Do Do Cartload Per head Do Do Do Do Do Do	0 4 0	0 4 0	0 4 0	0 4 0	0 4 0	0 4 0

KADUR DISTRICT.

Serial No.	Species		Local name	Description		Trikere and Kadur Ranges		Lakkavalli-Thadasa-Hobbe- Methodi and Narsimha- rajputra Ranges		Chikagahara Kals Mudgere- Koppa and Devdan Ranges	
	Botanical name					Existing	Proposed	Existing	Proposed	Existing	Proposed
1	<i>Tectona grandis</i>		Teak	12 c. ft. and above Below 12 c. ft. Poles	Rs. a. p. 1 8 0 1 4 0 0 13 0	Rs. a. p. 2 0 0 1 8 0 1 4 0	Rs. a. p. 2 0 0 1 8 0 1 4 0	Rs. a. p. 1 8 0 1 4 0 0 13 0	Rs. a. p. 2 0 0 1 8 0 1 4 0	Rs. a. p. 1 8 0 1 4 0 0 13 0	Rs. a. p. 2 0 0 1 8 0 1 4 0
2	<i>Dalbergia latifolia</i>		Roto	5' and above in girth 3 1/2' and above in girth	Rs. a. p. 1 8 0 0 12 0	Rs. a. p. 2 0 0 0 12 0	Rs. a. p. 2 0 0 0 12 0	Rs. a. p. 1 8 0 0 12 0	Rs. a. p. 2 0 0 0 12 0	Rs. a. p. 2 0 0 0 12 0	Rs. a. p. 2 0 0 0 12 0
3	<i>Pterocarpus marsupium</i>		Honne	Below 3 1/2' in girth 12 c. ft. and above	Rs. a. p. 0 10 0 0 12 0	Rs. a. p. 0 12 0 0 12 0	Rs. a. p. 0 12 0 0 12 0	Rs. a. p. 0 10 0 0 12 0	Rs. a. p. 0 12 0 0 12 0	Rs. a. p. 0 12 0 0 12 0	Rs. a. p. 0 12 0 0 12 0
4	<i>Terminalia tomentosa</i>		Matti	Below 12 c. ft. Squared 12 c. ft. and above	Rs. a. p. 0 8 6 0 7 0	Rs. a. p. 0 12 0 0 10 0	Rs. a. p. 0 12 0 0 10 0	Rs. a. p. 0 8 6 0 7 0	Rs. a. p. 0 12 0 0 10 0	Rs. a. p. 0 12 0 0 10 0	Rs. a. p. 0 12 0 0 10 0
5	<i>Lagerstrœmia lanceolata</i>		Nandi	Squared, below 12 c. ft. Round 12 c. ft. and above	Rs. a. p. 0 6 6 0 6 6	Rs. a. p. 0 8 0 0 8 0	Rs. a. p. 0 8 0 0 8 0	Rs. a. p. 0 6 6 0 6 6	Rs. a. p. 0 8 0 0 8 0	Rs. a. p. 0 8 0 0 8 0	Rs. a. p. 0 8 0 0 8 0
6	<i>Terminalia paniculata</i>		Hural	Round, below 12 c. ft. 12 c. ft. and above	Rs. a. p. 0 4 6 0 6 0	Rs. a. p. 0 6 0 0 6 0	Rs. a. p. 0 6 0 0 6 0	Rs. a. p. 0 4 6 0 6 0	Rs. a. p. 0 6 0 0 6 0	Rs. a. p. 0 6 0 0 6 0	Rs. a. p. 0 6 0 0 6 0
7	<i>Adina cordifolia</i> <i>Dysoxylon malabaricum</i>		Yetiga White cedar	Below 12 c. ft. 12 c. ft. and above	Rs. a. p. 0 4 6 0 6 0	Rs. a. p. 0 6 0 0 6 0	Rs. a. p. 0 6 0 0 6 0	Rs. a. p. 0 4 6 0 6 0	Rs. a. p. 0 6 0 0 6 0	Rs. a. p. 0 6 0 0 6 0	Rs. a. p. 0 6 0 0 6 0
8	<i>Hopea parvifolia</i>		Kirabhogi	Below 12 c. ft. 12 c. ft. and above	Rs. a. p. 0 4 6 0 6 0	Rs. a. p. 0 6 0 0 6 0	Rs. a. p. 0 6 0 0 6 0	Rs. a. p. 0 4 6 0 6 0	Rs. a. p. 0 6 0 0 6 0	Rs. a. p. 0 6 0 0 6 0	Rs. a. p. 0 6 0 0 6 0
9	<i>Artocarpus Havisula</i> and <i>munnisorensis</i> <i>Elengi.</i> <i>Stephegyne parvifolia</i>		Hebbahalu and Nanja Kadawala	Below 12 c. ft. 12 c. ft. and above	Rs. a. p. 0 4 6 0 6 0	Rs. a. p. 0 6 0 0 6 0	Rs. a. p. 0 6 0 0 6 0	Rs. a. p. 0 4 6 0 6 0	Rs. a. p. 0 6 0 0 6 0	Rs. a. p. 0 6 0 0 6 0	Rs. a. p. 0 6 0 0 6 0
10	<i>Alseodaphne semicarpifolia</i> <i>Xylia dolabriformis</i> And other junglewoods.		Massi Jambe	Below 12 c. ft. Poles above 2' in girth	Rs. a. p. 0 4 6 0 6 0	Rs. a. p. 0 6 0 0 6 0	Rs. a. p. 0 6 0 0 6 0	Rs. a. p. 0 4 6 0 6 0	Rs. a. p. 0 6 0 0 6 0	Rs. a. p. 0 6 0 0 6 0	Rs. a. p. 0 6 0 0 6 0
11	Firewood		Cartload	Below 12 c. ft.	Rs. a. p. 0 4 6	Rs. a. p. 0 6 0	Rs. a. p. 0 6 0	Rs. a. p. 0 4 6	Rs. a. p. 0 6 0	Rs. a. p. 0 6 0	Rs. a. p. 0 6 0
12	Charcoal		Assload	Below 12 c. ft.	Rs. a. p. 0 4 6	Rs. a. p. 0 6 0	Rs. a. p. 0 6 0	Rs. a. p. 0 4 6	Rs. a. p. 0 6 0	Rs. a. p. 0 6 0	Rs. a. p. 0 6 0
13	Bamboos		Cartload	Below 12 c. ft.	Rs. a. p. 0 4 6	Rs. a. p. 0 6 0	Rs. a. p. 0 6 0	Rs. a. p. 0 4 6	Rs. a. p. 0 6 0	Rs. a. p. 0 6 0	Rs. a. p. 0 6 0
14	Grazing		Per head	Below 12 c. ft.	Rs. a. p. 0 4 6	Rs. a. p. 0 6 0	Rs. a. p. 0 6 0	Rs. a. p. 0 4 6	Rs. a. p. 0 6 0	Rs. a. p. 0 6 0	Rs. a. p. 0 6 0
15			Cows and oxen	Below 12 c. ft.	Rs. a. p. 0 4 6	Rs. a. p. 0 6 0	Rs. a. p. 0 6 0	Rs. a. p. 0 4 6	Rs. a. p. 0 6 0	Rs. a. p. 0 6 0	Rs. a. p. 0 6 0
16			Cows and oxen (Nomadic)	Below 12 c. ft.	Rs. a. p. 0 4 6	Rs. a. p. 0 6 0	Rs. a. p. 0 6 0	Rs. a. p. 0 4 6	Rs. a. p. 0 6 0	Rs. a. p. 0 6 0	Rs. a. p. 0 6 0
17			Buffaloes	Below 12 c. ft.	Rs. a. p. 0 4 6	Rs. a. p. 0 6 0	Rs. a. p. 0 6 0	Rs. a. p. 0 4 6	Rs. a. p. 0 6 0	Rs. a. p. 0 6 0	Rs. a. p. 0 6 0
18			Buffaloes (Nomadic)	Below 12 c. ft.	Rs. a. p. 0 4 6	Rs. a. p. 0 6 0	Rs. a. p. 0 6 0	Rs. a. p. 0 4 6	Rs. a. p. 0 6 0	Rs. a. p. 0 6 0	Rs. a. p. 0 6 0
19			Sheep	Below 12 c. ft.	Rs. a. p. 0 4 6	Rs. a. p. 0 6 0	Rs. a. p. 0 6 0	Rs. a. p. 0 4 6	Rs. a. p. 0 6 0	Rs. a. p. 0 6 0	Rs. a. p. 0 6 0
20			Sheep (Nomadic)	Below 12 c. ft.	Rs. a. p. 0 4 6	Rs. a. p. 0 6 0	Rs. a. p. 0 6 0	Rs. a. p. 0 4 6	Rs. a. p. 0 6 0	Rs. a. p. 0 6 0	Rs. a. p. 0 6 0

BANGALORE AND TUMKUR DISTRICTS.

Serial No.	Species		Description	Rate				
	Botanical name	Local name		All Ranges				
				Existing	Proposed			
				Rs. a. p.	Rs. a. p.			
1	Tectona grandis	Teak	Below 5 c. ft. squared	0 10 0	1 0 0			
			Between 5 and 10 c. ft. squared	0 12 0	1 8 0			
			Poles below 2 ft in girth	0 8 0	0 12 0			
			Poles 2' and above in girth	0 12 0	1 0 0			
2	Shorea Talwara	Jalari	Round, 12 c. ft. and above	0 10 0	0 12 0			
			Round between 5 and 12 c. ft.	0 7 0	0 8 0			
			Round, 1 to 5 c. ft.	0 5 0	0 6 0			
			Poles round	0 4 0	0 8 0			
3	Chloronylon Swietania	Huragalu	Do	0 6 0	0 8 0			
4	Hardwickia leinata	Kamara	Squared		1 0 0			
5	Pterocarpus marsupium	Honne	Round		0 12 0			
6	Melia Indica and Albizzia lebeck	Bevu and Bage	Logs	0 4 0	0 6 0			
			7	Engenia Jambolana and mangifera indica	Nerlu and Mavu	Do	0 4 0	0 5 0
						Squared	0 4 0	0 6 0
8	Terminalia Arjuna	Thorematti	Poles	0 2 0	0 4 0			
9	Terminalia paniculata	Humal	Do	0 2 0	0 4 0			
10	Casuarina equisetifolia	Kyasarike	Dead poles	0 5 0	0 5 0			
11	Other kinds		Logs and poles	0 3 0	0 4 0			
12	Date trees	Ichalumara	Cartload	2 0 0	2 0 0			
13	Firewood	Do	Do	0 6 0	0 6 0			
			Assload	0 1 0	0 1 0			
			Cartload	2 8 0	5 0 0			
14	Charcoal	Bamboos	Per 100	4 0 0	4 0 0			
			Small bamboos	Per 100 (in Bangalore District)	1 0 0	1 0 0		
			Per 100 (in Tumkur District)	2 0 0	2 0 0			
15	Grazing	Small seebu	Cartload	0 8 0	0 8 0			
		Split bamboos	Do	1 12 0	1 12 0			
		Heeche	Do	1 6 0	1 8 0			
		Dry bamboos	Do	0 6 0	0 8 0			
		Cows and oxen	Per head	0 4 0	0 4 0			
		Cows and oxen (Nomadie)	Do	0 6 0	0 6 0			
		Buffaloes	Do	0 8 0	0 8 0			
		Buffaloes (Nomadie)	Do	0 12 0	0 12 0			
		Sheep	Do	0 1 6	0 1 6			
		Sheep (Nomadie)	Do	0 2 0	0 2 3			
		Grass	Cartload	0 4 0	0 4 0			
			Headload		0 0 3			

KOLAR DISTRICT.

Serial No.	Species		Description	Rate	
	Botanical name	Local name		All Ranges	
				Existing	Proposed
				Rs. a. p.	Rs. a. p.
1	Shorea Talwa	Jalari	Round, 12 c. ft. and above	0 12 0	0 12 0
			Round, between 5 c. ft. and 12 c. ft.	0 8 0	0 8 0
			Round, 1 to 5 c. ft.	0 6 0	0 6 0
2	Chloronylon Swietania	Huragalu	Poles round	0 8 0	0 8 0
3	Hardwickia leniata	Kamara	Do	0 8 0	0 8 0
4	Pterocarpus marsupium	Honne	Squared	1 0 0	1 0 0
			Round	0 12 0	0 12 0
5	Melia Indica, Albizzia lebbek and Albizzia Odoratissima.	Bevu, Rago and Bilwara	Logs	0 6 0	0 6 0
	Accacia arabica	Jali	Round logs	0 4 0	0 4 0
6	Engenia Janibolana	Nerlu	} Squared	0 5 0	0 5 0
	Mangifera indica	Mavu		} Round	0 3 0
	Accacia cucuphea	Thoppale	} Squared		0 6 0
7	Terminalia Arjuna	Thorematti		} Poles, 2' and above in girth	0 4 0
8	Terminalia paniculata and other jungle woods.	Humal and other jungle woods	} Poles below 2' in girth		0 3 0
9	Date trees	Ichalumara		Cartload	2 0 0
10	Firewood	Coupe fuel	Do	0 10 0	0 10 0
		Dead fuel	Do	0 6 0	0 6 0
			Assload	0 1 0	0 1 0
			Waddar cart	0 3 0	0 3 0
	Charcoal		Cartload	2 8 0	5 0 0
11	Bamboos	Green bamboos	Per 100	1 0 0	1 0 0
		Dead bamboos	Do	0 8 0	0 8 0
12	Grazing	Cows and oxen	Per head	0 4 0	0 4 0
		Cows and oxen, (nomadic)	Do	0 6 0	0 6 0
		Buffaloes	Do	0 8 0	0 8 0
		Buffaloes (Nomadic)	Do	0 12 0	0 12 0
		Sheep	Do	0 1 6	0 1 6
		Sheep (Nomadic)	Do	0 2 0	0 2 3
		Grass	Cartload	0 4 0	0 6 0
			Headload	0 0 3	0 0 4

HASSAN DISTRICT.

Serial No.	Species		Description	Rates	
	Botanical name	Local name		All Ranges	
				Existing	Proposed
				Rs. a p.	Rs. a p.
1	<i>Pterocarpus marsupium</i>	Honne	12 c. ft. and above		1 0 0
2	<i>Terminalia tomentosa</i> and <i>Lagerstroemia lanceolata</i> .	Karimatti and Nandi	Below 12 c. ft.		0 10 0
			Logs		0 8 0
3	<i>Artocarpus Hirsuta</i>	Hebbalsu	Round poles		0 6 0
4	<i>Hopea parviflora</i>	Kiralbhogi	12 c. ft. and above		0 14 0
			Below 12 c. ft.		0 10 0
5	<i>Dysorhylon malabaricum</i>	White cedar	12 c. ft. and above		1 0 0
			Below 12 c. ft.		0 12 0
6	<i>Terminalia paniculata</i>	Hunal	12 c. ft. and above		1 8 0
			Below 12 c. ft.		0 12 0
7	<i>Adina cordifolia</i> <i>Stephegyne parvifolia</i> <i>Alseodaphne semicarpifolia</i> and other jungle woods.	Yettiga	Below 12 c. ft.		0 12 0
			12 c. ft. and above		1 8 0
			Below 12 c. ft.		0 12 0
			12 c. ft. and above		1 8 0
8	Charcoal	Kadawala	Below 12 c. ft.		0 12 0
			12 c. ft. and above		1 8 0
9	Bamboos	Massi	Below 12 c. ft.		0 12 0
			12 c. ft. and above		1 8 0
10	Firewood		Below 12 c. ft.		0 12 0
			12 c. ft. and above		1 8 0
11	Charcoal		Below 12 c. ft.		0 12 0
			12 c. ft. and above		1 8 0
12	Bamboos	Big bamboos	Below 12 c. ft.		0 12 0
			12 c. ft. and above		1 8 0
13	Bamboos	Small bamboos	Below 12 c. ft.		0 12 0
			12 c. ft. and above		1 8 0
14	Bamboos	Medar bamboos	Below 12 c. ft.		0 12 0
			12 c. ft. and above		1 8 0
15	Bamboos	Unsplit bamboos	Below 12 c. ft.		0 12 0
			12 c. ft. and above		1 8 0
16	Bamboos	Split bamboos	Below 12 c. ft.		0 12 0
			12 c. ft. and above		1 8 0
17	Bamboos	Cows and oxen	Below 12 c. ft.		0 12 0
			12 c. ft. and above		1 8 0
18	Bamboos	Cows and oxen, (Nomadie)	Below 12 c. ft.		0 12 0
			12 c. ft. and above		1 8 0
19	Bamboos	Buffaloes	Below 12 c. ft.		0 12 0
			12 c. ft. and above		1 8 0
20	Bamboos	Buffaloes, (Nomadie)	Below 12 c. ft.		0 12 0
			12 c. ft. and above		1 8 0
21	Bamboos	Sheep	Below 12 c. ft.		0 12 0
			12 c. ft. and above		1 8 0
22	Bamboos	Sheep, (Nomadie)	Below 12 c. ft.		0 12 0
			12 c. ft. and above		1 8 0

CHITALDRUG DISTRICT.

Serial No.	Species		Description	Rates	
				All Ranges	
	Botanical name	Local name		Existing	Proposed
				Rs. a p.	Rs. a p.
1	Chlororylon Swietenia	Huragalu	Poles round		0 8 0
2	Hardiwickia binata	Kamara	Dressed		0 12 0
			Round		0 8 0
3	Pterocarpus marsupium	Honne	Dressed		1 0 0
			Round		0 12 0
4	Melia Indica	Bevy			
	Albizzia Lebbeck	Bage	(Dressed		0 6 0
	Albizzia Odoratissima	Bilwara	(Round		0 4 0
	Acacia arabica	Karijeli			
5	Engenia Jambolana	Nerlu			
	Mangifera indica	Mavu	(Squared		0 5 0
	Acacia Cucuphtoca	Thoppale	(Round		0 3 0
6	Other junglewoods		Dressed		0 4 0
			Round		0 2 0
7	Date trees	Ichalumara	Cartload	2 0 0	2 0 0
8	Firewood	Green (in coupes)	Per cartload	0 8 0	0 8 0
		Dead	Do	0 6 0	0 6 0
			Wadder cart	0 3 0	0 3 0
			Assload	0 1 0	0 1 0
			Headload	0 0 6	0 0 6
	Charcoal		Cartload	6 0 0	8 0 0
			Per bag	0 6 0	0 8 0
9	Bamboos	Small bamboos	Per 100	1 4 0	1 4 0
10	Grazing	Cows and oxen	Per head	0 4 0	0 4 0
		Cows and oxen, (Nomadie)	Do	0 6 0	0 6 0
		Buffaloes	Do	0 8 0	0 8 0
		Buffaloes, (Nomadie)	Do	0 12 0	0 12 0
		Sheep	Do	0 1 6	0 1 6
		Sheep, (Nomadie)	Do	0 2 0	0 2 3
		Grass	Per cartload	0 4 0	0 4 0
			Per headload	0 0 3	0 0 3